

TWA Red Goby Cheat Sheet

Priolepis, Risor, and Lythrypnus Gobies of the Tropical Western Atlantic

Stacey Henderson: <u>Stacey.henderson@REEF.org</u>

Priolepis

- More common family
- Big heads and larger mouths, more stout
- Eyes wider apart have more of a forehead than Lythrpnus
- Have wider orange bars

Lythrypnus

- Look very similar to one another
- Smaller heads, mouths, and forehead
- Often distinguished by the pattern under the eye

Priolepis Genus



Rusty Goby (*Priolepis hipoliti*)
Found throughout the TWA

- Lacks wide midbody white bar
- Large head and mouth
- Eyes wide with a large forehead
- Orange spot on dorsal/anal fins
- Wide orange bars separated by narrow paler bars along the side of the body

More photos on STRI

Photo by: Stacey Henderson

Risor Genus



Tusked Goby (Risor ruber)
Found throughout the TWA

- Head and boy a translucent dark grey or brown, sometimes almost purple in color with small dark spots.
- Often 4-5 irregular drown bars with elongate white spots along spine
- Found in association with large sponges
- 3 Tusklike teeth coming out of mouth <u>More photos on STRI</u>

Photo by: Stacey Henderson

© 2025 Reef Environmental Education Foundation (REEF). All rights reserved.

Lythrypnus Genus



Pygmy Goby (Lythrypnus minimus)
Found from the Bahamas to the southern Caribbean

- Body translucent red or orange with narrow pale bars
- 2-4 darker bars or rows of spots below eye
- Often a white spot on upper pectoral fin

More photos on STRI

Photo by: Frank Krasovec

Diphasic Goby (Lythrypnus heterochroma)
Found from the Bahamas to the southern Caribbean

- Body red orange lacking distinguished bars
- Whitish bars, almost like saddles along spine
- Very distinct compared to the other species

More photos on STRI

Photo by: Stacey Henderson



Island Goby (Lythrypnus nesiotes)
Found throughout the TWA up into Georgia

- Body with alternating red- brown bars with thin paler bars
- 3-4 rows of spots on check radiating from below the eve
- Pectoral fin has a large spot in the center near the base

More photos on STRI

Photo by: Stacey Henderson



Dwarf Goby (Lythrypnus elasson)

Found in the Gulf of Mexico to the Southern Caribbean

- 3-4 rows of orange spots radiating downward from the eye
- 2 orange spots on the base of the pectoral fin
- Often large wide bar on mid-body
- No bar pattern

More photos on STRI

Photo by: Stacey Henderson

Bluegold Goby (Lythrypnus spilus)
Found throughout the TWA

- Roughly 13 orange bars on head and body alternating with blue bars
- Bars are distinct and clear
- Blue bars have a lighter center line
- Usually on the larger side compared to others

More photos on STRI

Photo by: Stacey Henderson